



279466



"McWilliams, Douglas A."
<DMcWilliams@ssd.com>

To

12/04/2006 10:26 AM

Subject RE: Chemical Recovery Systems, Inc.

Ms. Massenburg,

We will be sending the CRS Site Group response today via e-mail with hardcopy to follow.

I apologize for the delay.

Douglas A. McWilliams
Squire, Sanders & Dempsey L.L.P.
4900 Key Tower
127 Public Square
Cleveland, OH 44114-1304
Tel: +1.216.479.8332
Fax: +1.216.479.8776
dmcwilliams@ssd.com
www.ssd.com <<http://www.ssd.com>>

Confidentiality Statement
NOTICE: This e-mail message

and all

attachments transmitted with it are intended solely for the use of the addressees and may contain legally privileged, protected, or confidential information. If you have received this message in error, please notify the sender immediately by e-mail reply and please delete this message from your computer and destroy any copies. Thank you.
Squire, Sanders & Dempsey L.L.P.

Beijing Bratislava Brussels Budapest Caracas Cincinnati
Cleveland Columbus Hong Kong Houston London Los Angeles Madrid Miami
Milan Moscow New York Palo Alto Phoenix Prague Rio de Janeiro San
Francisco Santo Domingo Shanghai Tallahassee Tampa Tokyo Tysons Corner
Warsaw Washington DC West Palm Beach
Associated Offices: Bucharest Buenos Aires Dublin Kyiv Santiago

-----Original Message-----

From: Massenburg.Gwendolyn@epamail.epa.gov
[mailto:Massenburg.Gwendolyn@epamail.epa.gov]
Sent: Monday, December 04, 2006 10:21 AM
To: McWilliams, Douglas A.
Cc: Tanaka.Joan@epa.gov; Nash.Thomas@epa.gov
Subject: RE: Chemical Recovery Systems, Inc.

Mr. McWilliams:

According to the conversation you had with my Section Chief and Mr. Nash during the week of Nov. 13, 2006, we were expecting to get a response to our questions on or before COB November 30, 2006. Perhaps your response was sent via the US Postal Service and we have not received it yet.

Would you please let us know the status of the questions asked during the telephone conversation mentioned above.

Thanks,
Gwendolyn Massenburg
Remedial Project Manager

U. S. EPA
77 W. Jackson Blvd.
Chicago, IL 60604
312-886-0983 (v)
312-886-4071 (f)

"McWilliams,
Douglas A."
<DMcWilliams@ssd
.com>

11/09/2006 04:45
PM

Gwendolyn
Massenburg/R5/USEPA/US@EPA

To

Thomas Nash/R5/USEPA/US@EPA, Joan
Tanaka/R5/USEPA/US@EPA

cc

Subject
RE: Chemical Recovery Systems,
Inc.

Ms. Massenburg,

I received your message and I will respond expeditiously.

Douglas A. McWilliams
Squire, Sanders & Dempsey L.L.P.
4900 Key Tower
127 Public Square
Cleveland, OH 44114-1304
Tel: +1.216.479.8332
Fax: +1.216.479.8776
dmcwilliams@ssd.com
www.ssd.com <<http://www.ssd.com>>

Confidentiality

Statement

NOTICE: This e-mail

message and all attachments transmitted with it are intended solely for the use of the addressees and may contain legally privileged, protected, or confidential information. If you have received this message in error, please notify the sender immediately by e-mail reply and please delete this message from your computer and destroy any copies. Thank you.
Squire, Sanders & Dempsey L.L.P.

Beijing Bratislava Brussels Budapest Caracas Cincinnati
Cleveland Columbus Hong Kong Houston London Los Angeles Madrid Miami
Milan Moscow New York Palo Alto Phoenix Prague Rio de Janeiro San

Francisco Santo Domingo Shanghai Tallahassee Tampa Tokyo Tysons Corner
Warsaw Washington DC West Palm Beach Associated Offices: Bucharest
Buenos Aires Dublin Kyiv Santiago

-----Original Message-----

From: Massenburg.Gwendolyn@epamail.epa.gov
[mailto:Massenburg.Gwendolyn@epamail.epa.gov]
Sent: Thursday, November 09, 2006 4:24 PM
To: McWilliams, Douglas A.
Cc: Nash.Thomas@epamail.epa.gov; Tanaka.Joan@epamail.epa.gov
Subject: Chemical Recovery Systems, Inc.

Mr. McWilliams:

In my review of selecting a proposed remedy with my management two questions arose that I was not able to answer from the RI/FS Report. 1) Does the site ground water discharge to the river? If so, or not, please provide the information to support the determination. 2) The RI/FS Report supports the cost of excavating the entire site, and we need a cost estimate for excavating the 0.5 acre portion of the site. Please provide this information to me ASAP, on or before COB 11-17-2006.

I contacted Mr. Gelman, asking him if the information is somewhere in the report and I was over looking it. He suggested that I contact you.

If you have any questions or need additional information, please do not hesitate to ask.

Sincerely,

Gwendolyn Massenburg
Remedial Project Manager
U. S. EPA
77 W. Jackson Blvd.
Chicago, IL 60604
312-886-0983 (v)
312-886-4071 (f)